EF 400

Ultra Limites Line

EF 400 expanded metal mesh is available from stock in the 1250x2500 mm size and can also be ordered **custom-made**. With its **22 % frontal opening**, it serves as a **versatile** and **prot**
projects where EF 400 mesh type has been used.

Product data:
R 400 x 140 (180) - 80 x t
Final thickness: 72.00 mm
Open Area: 22.00 %

Materiale	Nome	mm	Peso kg/m2	Sheet 1250x2500
Aluminium	R 400 x 140 (180) - 80 x 2	2.0	4.8	✔
Aluminium	R 400 x 140 (180) - 80 x 3	3.0	7.2	✔

Riferimenti

Nome	=	Geom DL x DCn (DCr) - av x sp
Geom	=	**E**sagonale, **R**omboidale, **Q**uadra, **T**onda, **S**pianata
DL	=	Diagonale Lunga
DCn	=	Diagonale Corta nominale (riferimento interno)
DCr	=	Diagonale Corta reale
av	=	Avanzamento
sp	=	Spessore
spFin	=	Spessore finale
v/p %	=	% vuoto su pieno
Larg - DL	=	Larghezza in direzione DL
Lung - DC	=	Lunghezza in direzione DC (direzione di stiratura)

Dimensioni

Bobine - Fogli - Rotoli



Dimensione maglia



Facciata a vista



Spessore finale rete stirata (per scelta profilo)